

In the Claims:

1 1. (Previously presented) A modular communication fixture for  
2 installation on board of a passenger conveyance, comprising  
3 a housing, an information terminal and a communication  
4 terminal installed in said housing for use by passengers  
5 and personnel, said terminals comprising a control and  
6 monitoring section installed in said housing for use only  
7 by and accessible only to personnel, and a passenger  
8 service and personnel section installed in said housing for  
9 use and accessible by passengers and personnel, said  
10 fixture further comprising a door secured to said housing,  
11 and built-in components in said housing, said built-in  
12 components including at least one keyboard and an open  
13 space below said keyboard, and a work support plate  
14 installed in said door in a position for fitting into said  
15 open space below said keyboard when said door is closed.

1 2. (Previously presented) The modular communication fixture of  
2 claim 1, wherein said housing is a frame structure (1) in  
3 which said information terminal and said communication  
4 terminal are installed, and wherein said door (3) is  
5 operatively secured to said frame structure (1), said door  
6 having an opening (14) functioning as a reach through  
7 opening in said door (3).

4638/WFF:sk

- 2 -

1 3. (Currently amended) The modular ~~communications~~  
2 communication fixture of claim 1, wherein said housing is  
3 constructed as a built-in fixture installed in a fixed  
4 position in said passenger conveyance, and wherein said  
5 door is a lockable hinged door (3) with a reach through  
6 opening (14).

1 4. (Original) The modular communication fixture of claim 1,  
2 further comprising in said housing built-in components  
3 including a display screen (8), a touchscreen (9), a  
4 keyboard (10) and a stool, guide means in said housing for  
5 shifting any one of said built-in components between a  
6 retracted position and a use-position, and position locks  
7 for arresting any one of said built-in components in said  
8 retracted position and in said use-position.

1 5. (Previously presented) The modular communication fixture of  
2 claim 1, further comprising first built-in components  
3 positioned in said housing, a reach through opening in said  
4 door, wherein said first built-in components are positioned  
5 in said housing to be accessible for use when said door is  
6 open and also through said reach through opening in said  
7 door when said door is closed and second built-in  
8 components so positioned in said housing that access to  
9 said second built-in components is prevented when said door  
10 is closed and locked.

4638/WFF:sk

- 3 -

1 6. (Previously presented) The modular communication fixture of  
2 claim 1, wherein said door comprises a reach through  
3 opening and wherein said modular communication fixture  
4 comprises convenience components installed in said door  
5 below said reach through opening (14).

1 7. (Currently amended) The modular communication fixture of  
2 claim 6, wherein said convenience components comprise a cup  
3 holder or minibar facility, ~~[[a]]~~ said work support plate  
4 (5A) is installed below said reach through opening (14),  
5 and said modular communication fixture further comprises at  
6 least one lamp above said reach through opening (14).

Claim 8. (Canceled)

1 9. (Original) The modular communication fixture of claim 1,  
2 wherein said information terminal and communication  
3 terminal comprise a computer provided in common for said  
4 control and monitoring section and for said passenger  
5 service section, said control and monitoring section  
6 comprising an audio/video control center and a cabin system  
7 control center, said housing further comprising electrical  
8 and data terminals for all components installed in said  
9 housing for connection to respective power supply lines and  
10 to at least one data bus.

1     **10.** (Previously presented) The modular communication fixture of  
2           claim 1, installed in an entrance and exit area of said  
3           passenger conveyance, and wherein said door (3) comprises  
4           a reach through opening (14), said door being openable into  
5           said entrance and exit area.

1     **11.** (Previously presented) The modular communication fixture of  
2           claim 1, wherein said door comprises a reach through  
3           opening (14) for permitting passenger access to said  
4           passenger service section and for preventing passenger  
5           access to said control and monitoring section.

1     **12.** (Previously presented) The modular communication fixture of  
2           claim 1, installed in any one of an aircraft body, a  
3           passenger train and a passenger ship.

Claim 13 (Canceled).

**[RESPONSE CONTINUES ON NEXT PAGE]**

4638/WFF:sk

- 5 -